



Lithium-ion

**RECHARGEABLE LITHIUM-ION
BATTERY CELL**

**Cylindrical 18650
Product List**

www.keepower.com.cn

Panasonic

Model	Nominal Capacity(mAh)	Nominal Voltage(V)	Std. Charge Current(mA)	Std. Charge Voltage(V)	Std. Charge Time(H)	Discharge End Voltage(V)
NCR18650PF ※	2900	3.60	1350	4.20	4.0	2.50
NCR18650A	3100	3.60	590	4.20	6.0	2.50
NCR18650BE	3200	3.60	909	4.20	5.0	2.50
NCR18650B	3400	3.60	1620	4.20	4.0	2.50

※: High rate model, please email to info@keeppower.com.cn for details.

Sanyo

Model	Nominal Capacity(mAh)	Nominal Voltage(V)	Std. Charge Current(mA)	Std. Charge Voltage(V)	Std. Charge Time(H)	Discharge End Voltage(V)
UR18650ZY	2600	3.70	1750	4.20	3.0	2.75
UR18650FM	2600	3.70	1750	4.20	3.0	3.00
UR18650NSX ※	2600	3.60	1750	4.20	3.0	2.50
UR18650ZT	2800	3.70	1350	4.30	4.0	3.0
NCR18650BL ※	3400	3.60	1620	4.20	4.0	2.50
NCR18650BF	3400	3.60	1620	4.20	4.0	2.50
NCR18650GA ※	3500	3.60	1475	4.20	4.5	2.50

※: High rate model, please email to info@keeppower.com.cn for details.

Sony

Model	Nominal Capacity(mAh)	Nominal Voltage(V)	Std. Charge Current(mA)	Std. Charge Voltage(V)	Std. Charge Time(H)	Discharge End Voltage(V)
US18650VTC4 ※	2100	3.60	2000	4.20	3.0	2.50
US18650VTC5 ※	2600	3.60	2000	4.20	4.0	2.50

※: High rate model, please email to info@keppower.com.cn for details.

LG Chem

Model	Nominal Capacity(mAh)	Nominal Voltage(V)	Std. Charge Current(mA)	Std. Charge Voltage(V)	Std. Charge Time(H)	Discharge End Voltage(V)
ICR18650S3	2200	3.60	1075	4.20	3.0	3.00
ICR18650D1	3000	3.75	1450	4.35	3.0	3.00
ICR18650E1	3200	3.75	1550	4.35	3.0	2.75
INR18650HD2 ※	2000	3.65	1000	4.20	3.0	2.50
INR18650HD2C ※	2100	3.65	1050	4.20	3.0	2.50
INR18650HE2 ※	2500	3.60	1250	4.20	3.0	2.50
INR18650HE4 ※	2500	3.60	1250	4.20	3.0	2.50
INR18650HG2 ※	3000	3.60	1500	4.20	3.0	2.50
INR18650MH1 ※	3200	3.67	1550	4.20	3.0	2.50
INR18650MJ1 ※	3500	3.60	1700	4.20	3.0	2.50

※: High rate model, please email to info@keeppower.com.cn for details.

Samsung SDI

Model	Nominal Capacity(mAh)	Nominal Voltage(V)	Std. Charge Current(mA)	Std. Charge Voltage(V)	Std. Charge Time(H)	Discharge End Voltage(V)
ICR18650-22F	2200	3.60	1100	4.20	3.0	2.75
ICR18650-26F	2600	3.70	1300	4.20	3.0	2.75
ICR18650-26H	2600	3.70	1300	4.20	3.0	2.75
ICR18650-28A	2800	3.75	1400	4.30	3.0	2.75
ICR18650-30B	3000	3.78	1475	4.35	3.0	2.75
ICR18650-32A	3200	3.75	1600	4.35	3.0	2.75
INR18650-20R ※	2000	3.60	1000	4.20	3.0	2.50
INR18650-22P ※	2200	3.60	1075	4.20	3.0	2.75
INR18650-25R ※	2500	3.60	1250	4.20	3.0	2.50
INR18650-30Q ※	3000	3.60	1500	4.20	3.0	2.50

※ : High rate model, please email to info@keeppower.com.cn for details.